

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	0	1
		% within Sex	4.8%	.0%	3.8%
	5-12	Count	0	1	1
		% within Sex	.0%	20.0%	3.8%
	20-24	Count	4	1	5
		% within Sex	19.0%	20.0%	19.2%
	25-29	Count	5	0	5
		% within Sex	23.8%	.0%	19.2%
	30-34	Count	2	0	2
		% within Sex	9.5%	.0%	7.7%
	35-39	Count	3	1	4
		% within Sex	14.3%	20.0%	15.4%
	40-44	Count	4	1	5
		% within Sex	19.0%	20.0%	19.2%
	45-49	Count	2	0	2
		% within Sex	9.5%	.0%	7.7%
	50-54	Count	0	1	1
		% within Sex	.0%	20.0%	3.8%
Total	Count	21	5	26	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	12	3	15
		% within Sex	57.1%	60.0%	57.7%
	African American	Count	7	1	8
		% within Sex	33.3%	20.0%	30.8%
	Hispanic	Count	2	1	3
		% within Sex	9.5%	20.0%	11.5%
	Total		Count	21	5
			% within Sex	100.0%	100.0%

a. HSDA = Temple-Killeen

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	8	0	8
		% within Sex	38.1%	.0%	30.8%
	IDU	Count	2	1	3
		% within Sex	9.5%	20.0%	11.5%
	M-M & IDU	Count	1	0	1
		% within Sex	4.8%	.0%	3.8%
	Heterosexual Contact	Count	2	1	3
		% within Sex	9.5%	20.0%	11.5%
	Not Classified	Count	7	2	9
		% within Sex	33.3%	40.0%	34.6%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	4.8%	20.0%	7.7%
Total	Count	21	5	26	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	14	15
		% within Adult-Ped	50.0%	58.3%	57.7%
	African American	Count	0	8	8
		% within Adult-Ped	.0%	33.3%	30.8%
	Hispanic	Count	1	2	3
		% within Adult-Ped	50.0%	8.3%	11.5%
Total	Count	2	24	26	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2	3	5
		% within Sex	18.2%	30.0%	23.8%
	25-29	Count	1	1	2
		% within Sex	9.1%	10.0%	9.5%
	30-34	Count	0	2	2
		% within Sex	.0%	20.0%	9.5%
	35-39	Count	5	3	8
		% within Sex	45.5%	30.0%	38.1%
	40-44	Count	2	0	2
		% within Sex	18.2%	.0%	9.5%
	50-54	Count	1	0	1
		% within Sex	9.1%	.0%	4.8%
	60-64	Count	0	1	1
		% within Sex	.0%	10.0%	4.8%
Total		Count	11	10	21
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5	3	8
		% within Sex	45.5%	30.0%	38.1%
	African American	Count	5	5	10
		% within Sex	45.5%	50.0%	47.6%
	Hispanic	Count	1	2	3
		% within Sex	9.1%	20.0%	14.3%
	Total		Count	11	10
			% within Sex	100.0%	100.0%

a. HSDA = Temple-Killeen

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7	0	7
		% within Sex	63.6%	.0%	33.3%
	IDU	Count	1	3	4
		% within Sex	9.1%	30.0%	19.0%
	M-M & IDU	Count	2	0	2
		% within Sex	18.2%	.0%	9.5%
	Heterosexual Contact	Count	0	3	3
		% within Sex	.0%	30.0%	14.3%
	Not Classified	Count	1	4	5
		% within Sex	9.1%	40.0%	23.8%
Total	Count	11	10	21	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	38.1%	38.1%
	African American	Count	10	10
		% within Adult-Ped	47.6%	47.6%
	Hispanic	Count	3	3
		% within Adult-Ped	14.3%	14.3%
Total	Count	21	21	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Temple-Killeen

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	0	1
		% within Sex	1.2%	.0%	.8%
	5-12	Count	0	2	2
		% within Sex	.0%	5.4%	1.7%
	13-19	Count	5	7	12
		% within Sex	6.0%	18.9%	10.0%
	20-24	Count	9	2	11
		% within Sex	10.8%	5.4%	9.2%
	25-29	Count	13	6	19
		% within Sex	15.7%	16.2%	15.8%
	30-34	Count	13	6	19
		% within Sex	15.7%	16.2%	15.8%
	35-39	Count	19	7	26
		% within Sex	22.9%	18.9%	21.7%
	40-44	Count	13	3	16
		% within Sex	15.7%	8.1%	13.3%
	45-49	Count	7	2	9
		% within Sex	8.4%	5.4%	7.5%
	50-54	Count	3	1	4
		% within Sex	3.6%	2.7%	3.3%
	60-64	Count	0	1	1
		% within Sex	.0%	2.7%	.8%
Total	Count	83	37	120	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	35	15	50
		% within Sex	42.2%	40.5%	41.7%
	African American	Count	38	18	56
		% within Sex	45.8%	48.6%	46.7%
	Hispanic	Count	8	4	12
		% within Sex	9.6%	10.8%	10.0%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	1.2%	.0%	.8%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	1.2%	.0%	.8%
	Total		Count	83	37
			% within Sex	100.0%	100.0%

a. HSDA = Temple-Killeen

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	37	0	37
		% within Sex	44.6%	.0%	30.8%
	IDU	Count	5	5	10
		% within Sex	6.0%	13.5%	8.3%
	M-M & IDU	Count	8	0	8
		% within Sex	9.6%	.0%	6.7%
	Heterosexual Contact	Count	7	11	18
		% within Sex	8.4%	29.7%	15.0%
	Not Classified	Count	25	19	44
		% within Sex	30.1%	51.4%	36.7%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	1.2%	2.7%	1.7%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	2.7%	.8%
Total	Count	83	37	120	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	49	50
		% within Adult-Ped	33.3%	41.9%	41.7%
	African American	Count	1	55	56
		% within Adult-Ped	33.3%	47.0%	46.7%
	Hispanic	Count	1	11	12
		% within Adult-Ped	33.3%	9.4%	10.0%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.9%	.8%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.9%	.8%
Total	Count	3	117	120	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	0	1
		% within Sex	1.2%	.0%	.8%
	5-12	Count	0	2	2
		% within Sex	.0%	5.4%	1.7%
	13-19	Count	5	7	12
		% within Sex	6.2%	18.9%	10.2%
	20-24	Count	9	2	11
		% within Sex	11.1%	5.4%	9.3%
	25-29	Count	13	6	19
		% within Sex	16.0%	16.2%	16.1%
	30-34	Count	13	6	19
		% within Sex	16.0%	16.2%	16.1%
	35-39	Count	19	7	26
		% within Sex	23.5%	18.9%	22.0%
	40-44	Count	12	3	15
		% within Sex	14.8%	8.1%	12.7%
	45-49	Count	6	2	8
		% within Sex	7.4%	5.4%	6.8%
	50-54	Count	3	1	4
		% within Sex	3.7%	2.7%	3.4%
	60-64	Count	0	1	1
		% within Sex	.0%	2.7%	.8%
Total	Count	81	37	118	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	1 (12-23 mo)	Count	1	0	1
		% within Sex	1.2%	.0%	.8%
	5-12	Count	0	1	1
		% within Sex	.0%	2.7%	.8%
	13-19	Count	0	4	4
		% within Sex	.0%	10.8%	3.4%
	20-24	Count	10	3	13
		% within Sex	12.3%	8.1%	11.0%
	25-29	Count	10	6	16
		% within Sex	12.3%	16.2%	13.6%
	30-34	Count	10	3	13
		% within Sex	12.3%	8.1%	11.0%
	35-39	Count	16	7	23
		% within Sex	19.8%	18.9%	19.5%
	40-44	Count	17	6	23
		% within Sex	21.0%	16.2%	19.5%
	45-49	Count	10	4	14
		% within Sex	12.3%	10.8%	11.9%
	50-54	Count	6	2	8
		% within Sex	7.4%	5.4%	6.8%
55-59	Count	1	0	1	
	% within Sex	1.2%	.0%	.8%	
60-64	Count	0	1	1	
	% within Sex	.0%	2.7%	.8%	
Total		Count	81	37	118
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	35	15	50
		% within Sex	43.2%	40.5%	42.4%
	African American	Count	36	18	54
		% within Sex	44.4%	48.6%	45.8%
	Hispanic	Count	8	4	12
		% within Sex	9.9%	10.8%	10.2%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	1.2%	.0%	.8%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	1.2%	.0%	.8%
Total	Count	81	37	118	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	36	0	36
		% within Sex	44.4%	.0%	30.5%
	IDU	Count	5	5	10
		% within Sex	6.2%	13.5%	8.5%
	M-M & IDU	Count	8	0	8
		% within Sex	9.9%	.0%	6.8%
	Heterosexual Contact	Count	7	11	18
		% within Sex	8.6%	29.7%	15.3%
	Not Classified	Count	24	19	43
		% within Sex	29.6%	51.4%	36.4%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	1.2%	2.7%	1.7%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	2.7%	.8%
Total	Count	81	37	118	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	49	50
		% within Adult-Ped	33.3%	42.6%	42.4%
	African American	Count	1	53	54
		% within Adult-Ped	33.3%	46.1%	45.8%
	Hispanic	Count	1	11	12
		% within Adult-Ped	33.3%	9.6%	10.2%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.9%	.8%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.9%	.8%
Total	Count	3	115	118	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1	0	1
		% within Sex	5.3%	.0%	3.6%
	25-29	Count	1	4	5
		% within Sex	5.3%	44.4%	17.9%
	30-34	Count	1	1	2
		% within Sex	5.3%	11.1%	7.1%
	35-39	Count	2	3	5
		% within Sex	10.5%	33.3%	17.9%
	40-44	Count	4	0	4
		% within Sex	21.1%	.0%	14.3%
	45-49	Count	7	1	8
		% within Sex	36.8%	11.1%	28.6%
	55-59	Count	1	0	1
		% within Sex	5.3%	.0%	3.6%
	60-64	Count	2	0	2
		% within Sex	10.5%	.0%	7.1%
Total	Count	19	9	28	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	7	2	9
		% within Sex	36.8%	22.2%	32.1%
	African American	Count	10	6	16
		% within Sex	52.6%	66.7%	57.1%
	Hispanic	Count	2	1	3
		% within Sex	10.5%	11.1%	10.7%
	Total		Count	19	9
			% within Sex	100.0%	100.0%

a. HSDA = Temple-Killeen

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	9	0	9
		% within Sex	47.4%	.0%	32.1%
	IDU	Count	2	1	3
		% within Sex	10.5%	11.1%	10.7%
	M-M & IDU	Count	1	0	1
		% within Sex	5.3%	.0%	3.6%
	Heterosexual Contact	Count	2	0	2
		% within Sex	10.5%	.0%	7.1%
	Not Classified	Count	5	8	13
		% within Sex	26.3%	88.9%	46.4%
Total	Count	19	9	28	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	32.1%	32.1%
	African American	Count	16	16
		% within Adult-Ped	57.1%	57.1%
	Hispanic	Count	3	3
		% within Adult-Ped	10.7%	10.7%
Total	Count	28	28	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Temple-Killeen

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	0	1	1
		% within Sex	.0%	25.0%	5.0%
	20-24	Count	2	0	2
		% within Sex	12.5%	.0%	10.0%
	25-29	Count	3	0	3
		% within Sex	18.8%	.0%	15.0%
	35-39	Count	5	1	6
		% within Sex	31.3%	25.0%	30.0%
	40-44	Count	4	1	5
		% within Sex	25.0%	25.0%	25.0%
	45-49	Count	1	0	1
		% within Sex	6.3%	.0%	5.0%
	50-54	Count	1	0	1
		% within Sex	6.3%	.0%	5.0%
	55-59	Count	0	1	1
		% within Sex	.0%	25.0%	5.0%
Total	Count	16	4	20	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	7	1	8
		% within Sex	43.8%	25.0%	40.0%
	African American	Count	6	2	8
		% within Sex	37.5%	50.0%	40.0%
	Hispanic	Count	3	1	4
		% within Sex	18.8%	25.0%	20.0%
	Total		Count	16	4
			% within Sex	100.0%	100.0%

a. HSDA = Temple-Killeen

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6	0	6
		% within Sex	37.5%	.0%	30.0%
	IDU	Count	3	1	4
		% within Sex	18.8%	25.0%	20.0%
	M-M & IDU	Count	2	0	2
		% within Sex	12.5%	.0%	10.0%
	Heterosexual Contact	Count	0	3	3
		% within Sex	.0%	75.0%	15.0%
	Not Classified	Count	5	0	5
		% within Sex	31.3%	.0%	25.0%
Total	Count	16	4	20	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	40.0%	40.0%
	African American	Count	8	8
		% within Adult-Ped	40.0%	40.0%
	Hispanic	Count	4	4
		% within Adult-Ped	20.0%	20.0%
Total	Count	20	20	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Temple-Killeen

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	0	3	3
		% within Sex	.0%	2.7%	.8%
	1 (12-23 mo)	Count	0	2	2
		% within Sex	.0%	1.8%	.5%
	2-4	Count	0	1	1
		% within Sex	.0%	.9%	.3%
	13-19	Count	3	2	5
		% within Sex	1.0%	1.8%	1.3%
	20-24	Count	15	5	20
		% within Sex	5.2%	4.5%	5.0%
	25-29	Count	39	23	62
		% within Sex	13.6%	20.9%	15.6%
	30-34	Count	68	26	94
		% within Sex	23.7%	23.6%	23.7%
	35-39	Count	61	21	82
		% within Sex	21.3%	19.1%	20.7%
	40-44	Count	38	8	46
		% within Sex	13.2%	7.3%	11.6%
	45-49	Count	29	9	38
		% within Sex	10.1%	8.2%	9.6%
	50-54	Count	10	3	13
		% within Sex	3.5%	2.7%	3.3%
	55-59	Count	10	5	15
		% within Sex	3.5%	4.5%	3.8%
	60-64	Count	8	1	9
		% within Sex	2.8%	.9%	2.3%
	65-69	Count	5	1	6
		% within Sex	1.7%	.9%	1.5%
	70+	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	Total	Count	287	110	397
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	156	43	199
		% within Sex	54.4%	39.1%	50.1%
	African American	Count	85	51	136
		% within Sex	29.6%	46.4%	34.3%
	Hispanic	Count	42	15	57
		% within Sex	14.6%	13.6%	14.4%
	Asian-Pacific Islander	Count	3	1	4
		% within Sex	1.0%	.9%	1.0%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.3%	.0%	.3%
Total	Count	287	110	397	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	135	0	135
		% within Sex	47.0%	.0%	34.0%
	IDU	Count	32	21	53
		% within Sex	11.1%	19.1%	13.4%
	M-M & IDU	Count	25	0	25
		% within Sex	8.7%	.0%	6.3%
	Hemophiliac	Count	2	0	2
		% within Sex	.7%	.0%	.5%
	Heterosexual Contact	Count	16	32	48
		% within Sex	5.6%	29.1%	12.1%
	Transfusion	Count	12	4	16
		% within Sex	4.2%	3.6%	4.0%
	Not Classified	Count	65	47	112
		% within Sex	22.6%	42.7%	28.2%
	Ped Parent at Risk	Count	0	6	6
		% within Sex	.0%	5.5%	1.5%
Total	Count	287	110	397	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	198	199
		% within Adult-Ped	16.7%	50.6%	50.1%
	African American	Count	4	132	136
		% within Adult-Ped	66.7%	33.8%	34.3%
	Hispanic	Count	1	56	57
		% within Adult-Ped	16.7%	14.3%	14.4%
	Asian-Pacific Islander	Count	0	4	4
		% within Adult-Ped	.0%	1.0%	1.0%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
	Total	Count	6	391	397
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	0	2	2
		% within Sex	.0%	2.8%	.9%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	1.4%	.5%
	13-19	Count	3	2	5
		% within Sex	2.1%	2.8%	2.4%
	20-24	Count	8	2	10
		% within Sex	5.7%	2.8%	4.7%
	25-29	Count	15	17	32
		% within Sex	10.7%	23.9%	15.2%
	30-34	Count	36	15	51
		% within Sex	25.7%	21.1%	24.2%
	35-39	Count	29	17	46
		% within Sex	20.7%	23.9%	21.8%
	40-44	Count	23	3	26
		% within Sex	16.4%	4.2%	12.3%
	45-49	Count	16	7	23
		% within Sex	11.4%	9.9%	10.9%
	50-54	Count	1	1	2
		% within Sex	.7%	1.4%	.9%
55-59	Count	4	3	7	
	% within Sex	2.9%	4.2%	3.3%	
60-64	Count	2	0	2	
	% within Sex	1.4%	.0%	.9%	
65-69	Count	3	1	4	
	% within Sex	2.1%	1.4%	1.9%	
Total	Count	140	71	211	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	0	1	1
		% within Sex	.0%	1.4%	.5%
	13-19	Count	0	2	2
		% within Sex	.0%	2.8%	.9%
	20-24	Count	4	2	6
		% within Sex	2.9%	2.8%	2.8%
	25-29	Count	6	4	10
		% within Sex	4.3%	5.6%	4.7%
	30-34	Count	10	9	19
		% within Sex	7.1%	12.7%	9.0%
	35-39	Count	42	16	58
		% within Sex	30.0%	22.5%	27.5%
	40-44	Count	31	16	47
		% within Sex	22.1%	22.5%	22.3%
	45-49	Count	27	11	38
		% within Sex	19.3%	15.5%	18.0%
	50-54	Count	8	3	11
		% within Sex	5.7%	4.2%	5.2%
	55-59	Count	3	4	7
		% within Sex	2.1%	5.6%	3.3%
	60-64	Count	6	0	6
		% within Sex	4.3%	.0%	2.8%
	65-69	Count	1	2	3
		% within Sex	.7%	2.8%	1.4%
	70+	Count	2	1	3
		% within Sex	1.4%	1.4%	1.4%
Total		Count	140	71	211
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	65	28	93
		% within Sex	46.4%	39.4%	44.1%
	African American	Count	50	34	84
		% within Sex	35.7%	47.9%	39.8%
	Hispanic	Count	24	8	32
		% within Sex	17.1%	11.3%	15.2%
	Asian-Pacific Islander	Count	1	1	2
		% within Sex	.7%	1.4%	.9%
	Total		Count	140	71
			% within Sex	100.0%	100.0%

a. HSDA = Temple-Killeen

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	65	0	65
		% within Sex	46.4%	.0%	30.8%
	IDU	Count	10	10	20
		% within Sex	7.1%	14.1%	9.5%
	M-M & IDU	Count	11	0	11
		% within Sex	7.9%	.0%	5.2%
	Hemophiliac	Count	1	0	1
		% within Sex	.7%	.0%	.5%
	Heterosexual Contact	Count	10	22	32
		% within Sex	7.1%	31.0%	15.2%
	Transfusion	Count	2	2	4
		% within Sex	1.4%	2.8%	1.9%
	Not Classified	Count	41	34	75
		% within Sex	29.3%	47.9%	35.5%
	Ped Parent at Risk	Count	0	3	3
		% within Sex	.0%	4.2%	1.4%
Total	Count	140	71	211	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	92	93
		% within Adult-Ped	33.3%	44.2%	44.1%
	African American	Count	2	82	84
		% within Adult-Ped	66.7%	39.4%	39.8%
	Hispanic	Count	0	32	32
		% within Adult-Ped	.0%	15.4%	15.2%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	1.0%	.9%
Total	Count	3	208	211	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	2	3
		% within Sex	.5%	1.9%	.9%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.9%	.3%
	5-12	Count	0	2	2
		% within Sex	.0%	1.9%	.6%
	13-19	Count	8	9	17
		% within Sex	3.6%	8.3%	5.2%
	20-24	Count	17	4	21
		% within Sex	7.7%	3.7%	6.4%
	25-29	Count	28	23	51
		% within Sex	12.7%	21.3%	15.5%
	30-34	Count	49	21	70
		% within Sex	22.2%	19.4%	21.3%
	35-39	Count	48	24	72
		% within Sex	21.7%	22.2%	21.9%
	40-44	Count	35	6	41
		% within Sex	15.8%	5.6%	12.5%
	45-49	Count	22	9	31
		% within Sex	10.0%	8.3%	9.4%
	50-54	Count	4	2	6
		% within Sex	1.8%	1.9%	1.8%
	55-59	Count	4	3	7
		% within Sex	1.8%	2.8%	2.1%
	60-64	Count	2	1	3
		% within Sex	.9%	.9%	.9%
	65-69	Count	3	1	4
		% within Sex	1.4%	.9%	1.2%
Total		Count	221	108	329
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	1 (12-23 mo)	Count	1	0	1
		% within Sex	.5%	.0%	.3%
	5-12	Count	0	2	2
		% within Sex	.0%	1.9%	.6%
	13-19	Count	0	6	6
		% within Sex	.0%	5.6%	1.8%
	20-24	Count	14	5	19
		% within Sex	6.3%	4.6%	5.8%
	25-29	Count	16	10	26
		% within Sex	7.2%	9.3%	7.9%
	30-34	Count	20	12	32
		% within Sex	9.0%	11.1%	9.7%
	35-39	Count	58	23	81
		% within Sex	26.2%	21.3%	24.6%
	40-44	Count	48	22	70
		% within Sex	21.7%	20.4%	21.3%
	45-49	Count	37	15	52
		% within Sex	16.7%	13.9%	15.8%
	50-54	Count	14	5	19
		% within Sex	6.3%	4.6%	5.8%
	55-59	Count	4	4	8
		% within Sex	1.8%	3.7%	2.4%
	60-64	Count	6	1	7
		% within Sex	2.7%	.9%	2.1%
	65-69	Count	1	2	3
		% within Sex	.5%	1.9%	.9%
70+	Count	2	1	3	
	% within Sex	.9%	.9%	.9%	
Total		Count	221	108	329
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	100	43	143
		% within Sex	45.2%	39.8%	43.5%
	African American	Count	86	52	138
		% within Sex	38.9%	48.1%	41.9%
	Hispanic	Count	32	12	44
		% within Sex	14.5%	11.1%	13.4%
	Asian-Pacific Islander	Count	2	1	3
		% within Sex	.9%	.9%	.9%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.5%	.0%	.3%
Total	Count	221	108	329	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	101	0	101
		% within Sex	45.7%	.0%	30.7%
	IDU	Count	15	15	30
		% within Sex	6.8%	13.9%	9.1%
	M-M & IDU	Count	19	0	19
		% within Sex	8.6%	.0%	5.8%
	Hemophiliac	Count	1	0	1
		% within Sex	.5%	.0%	.3%
	Heterosexual Contact	Count	17	33	50
		% within Sex	7.7%	30.6%	15.2%
	Transfusion	Count	2	2	4
		% within Sex	.9%	1.9%	1.2%
	Not Classified	Count	65	53	118
		% within Sex	29.4%	49.1%	35.9%
	Ped Parent at Risk	Count	1	4	5
		% within Sex	.5%	3.7%	1.5%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.9%	.3%
Total	Count	221	108	329	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	2	141	143
		% within Adult-Ped	33.3%	43.7%	43.5%
	African American	Count	3	135	138
		% within Adult-Ped	50.0%	41.8%	41.9%
	Hispanic	Count	1	43	44
		% within Adult-Ped	16.7%	13.3%	13.4%
	Asian-Pacific Islander	Count	0	3	3
		% within Adult-Ped	.0%	.9%	.9%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
	Total	Count	6	323	329
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen